Website: www.nitandhra.ac.in Email: purchase@nitandhra.ac.in



राष्ट्रीय प्रौद्योगिकी संस्थान - आंध्र प्रदेश

NATIONAL INSTITUTE OF TECHNOLOGY ANDHRA PRADESH TADEPALLIGUDEM

Near National Highway No. 16, Kondruprolu, TADEPALLIGUDEM – 534101 West Godavari District, Andhra Pradesh

No: NIT Andhra Pradesh/CSPS/2020

Date:24-02-2020

CORRIGENDUM/ ADDENDUM

- 1. Tender Ref No: NIT- AP/CSPS/TENDER/BUSES/2019-20DATED:01.02.2020
- 2. Tender Ref No: NIT- AP/CSPS/TENDER/FORTUNER /2019-20 DATED:01.02.2020
- 3. Tender Ref No: NIT- AP/CSPS/TENDER/DZIRE/2019-20 DATED:01.02.2020
- 4. Tender Ref No: NIT- AP/CSPS/TENDER/AMBULANCE/2019-20 DATED:01.02.2020

Subject:

- 1. Supply of 40+1-SEATER BUSES FOR CONVEYANCE (04* No.) for NIT ANDHRA PRADESH, Tadepalligudem on Hire Basis.
- Supply of TOYOTA FORTUNER (Diesel) 4 x 2 MT SUPER WHITE/PEARL WHITE (01 No.) Available 24 x 7 (Round the Clock) for NIT ANDHRA PRADESH, Tadepalligudem on Hire Basis.
- 3. Supply of SWIFT DZIRE (Diesel) WHITE (2 Nos.) for NIT ANDHRA PRADESH, Tadepalligudem on Hire Basis
- 4. Supply of MARUTI SUZUKI EECO AMBULANCES (01 Nos.) (Available 24x7 Round the clock) for NIT ANDHRA PRADESH, Tadepalligudem on Hire Basis.

Pre-bid meeting was held on 12/02/2020 at 03:30 PM towards the reference(s) cited above, and after the approval of the competent authority the following changes/corrections/additions in terms of items shall be considered in the bid document.

Item No. 1: Three shifts for the above cited tender references 2 & 4 and two shifts for the above cited references 1 & 3. Shift A: 6 AM - 2 PM; Shift B: 2 PM -10 PM and Shift C: 10 PM - 6 AM. With weekly off of one day for every driver.

Item No 2: Towards all the tender references cited above, the bidder has to quote the price by considering the fluctuations in the diesel cost what so ever during the agreement period.

Item No 3: For the above cited tender reference no 1, the make of the vehicle was given as 2018 or afterwards in the existing tender document. Now it has been revised to 2016 or later.

Item No 4: For the above cited tender reference no 4, Ambulance has to be equipped with i) initially filled Oxygen Cylinder ii) Stretcher iii) Face mask iv) First aid box v) any other basic facilities at vender scope. Further, refilling of oxygen cylinder will be in the scope of the Institute.

Deputy Registrar Central Stores & Purchases

DEPUTY REGISTRAR
CENTRAL STORES & PURCHASE SECTION
NIT Andhra Pradesh