



राष्ट्रीय प्रौद्योगिकी संस्थान - आंध्र प्रदेश
NATIONAL INSTITUTE OF TECHNOLOGY ANDHRA PRADESH
TADEPALLIGUDEM

Near National Highway No. 16, Kadakatla,
TADEPALLIGUDEM – 534101 West Godavari District, Andhra Pradesh

No. NIT Andhra/CSPS/Crgdm/2021-22/06

Date: 10/01/2022

CORRIGENDUM

Ref:

- (i) NIT/ANDHRA/ESTATE/DEC/FFS & FAS – AMC/2021-2022/04 DATED: 23.12.2021
(ANNUAL MAINTENANCE CONTRACT - FIRE FIGHTING & FIRE ALARM
SYSTEMS AT NIT ANDHRA PRADESH, TADEPALLIGUDEM))

With reference to the above tender, In Clause (3) of the Eligibility Criteria mentioned in page no (10) of the tender document is amended as:

3. The average turnover of FY 2018-19, 2019-20 & 2020-21 should be at least 50 lakhs issued by CA with UDIN Number.

The other conditions of the whole tender document remains same.




Associate Dean
(Central Stores & Procurement)

सह अधिष्ठाता/ Associate Dean
केन्द्रीय भण्डार & खरीद भाग
Central Stores & Purchases Section
राष्ट्रीय प्रौद्योगिकी संस्थान
National Institute of Technology
आंध्रप्रदेश / Andhra Pradesh
ताडेपल्लिगुडेम / Tadepalligudem